

Pioneer VSX-531 AV Receiver



Audio Features

- Channels: 5
- Amplification Type: Direct Energy
- 130 W/ch (6 ohms, 1 kHz, THD 1.0 %, 1ch Driven)
- Dolby® TrueHD/Dolby Digital Plus/Dolby Pro Logic II
- DTS-HD Master Audio/DTS-HD High Resolution Audio/DTS Neo:6
- DTS-Express/DTS 96/24
- DSD Disc (SACD) Playback via HDMI (2.8 MHz)
- Digital Core Engine with Texas Instruments Aureus™ DSP
- 192 kHz/24-bit DAC
- HDMI Audio Return Channel (ARC)
- MCACC Auto Room Tuning
 - Phase Control
 - Automatic Crossover Detection
- Pioneer Sound Enhancements
 - Advanced Sound Retriever (2ch)
 - Auto Level Control (2ch)
 - Midnight
 - Loudness
- Advanced Surround Modes
 - Action, Drama, Advanced Game, Sports, Classical, Rock/Pop
 - Front Stage Surround, Extended Stereo
 - Phones Surround
 - ECO Mode 1, ECO Mode 2
- AM/FM Tuner 30 Presets

Video Features

- Ultra HD Pass-through with HDCP 2.2 (4K/60p/4:4:4)
- HDR Support
- 3D Ready (Blu-ray Disc™, Broadcast, and Games)
- Deep Colour (36-bit), “x.v. Colour”

Network Features

- Built-in Bluetooth® Wireless Technology (Version: 3.0, Profile: A2DP, Codec: SBC/AAC)
- Music File Playback via USB (MP3, WMA, AAC)

Operating Features

- On Screen Display (HDMI only)
- Auto Power Down
- Power Save for HDMI Standby Through
- Sleep Timer
- Remote Control

Connections

Front Terminals

- USB 1 In for USB Drive
- MCACC Setup MIC In
- Audio 1 In (Mini Stereo Jack)
- Phones 1 Out

Rear Terminals

- HDMI 4 In
- HDMI 1 Out
- AV (Composite) 2 In
- Audio 1 In (Assignable)
- Digital Coaxial 1 In (Assignable)
- Digital Optical 1 In (Assignable)
- Monitor Composite 1 Out

- Subwoofer 1 Pre Out
- Speaker 5 ch Out (FRONT, CENTER, SURROUND)
- FM/AM Antenna

Dimensions & Weight

- Dimensions (W x H x D): 435 x 168 x 320.5 mm
- Weight: 8 kg